Contents

Letters

Determination of the Gibbs energy of solution of oxygen in niobium L1
H. Niiyama, F. Tsukihashi and N. Sano (Tokyo, Japan)

Crystal structure of the compound $Ce_3Pt_4Ge_6$ L7
A. V. Gribanov, O. L. Sologub, P. S. Salamakha, O. I. Bodak, Yu. D. Seropegin and V. K. Pecharsky (Moscow, Russia)

Gorsky effect origins of uphill hydrogen diffusion in $Pd_{81}Pt_{19}$, $Pd_{77}Ag_{23}$ and palladium membranes L13
F. A. Lewis and X. Q. Tong (Belfast, UK)

Uranium activity of uranium-rich U–Zr alloys by Knudsen effusion mass spectrometry L21
A. Maeda, Y. Suzuki and T. Ohmichi (Ibaraki-ken, Japan)

Thermodynamics of formation of high calcium niobates from e.m.f. measurements L25
S. Raghavan (Madras, India)

Partial phase diagram of the Ag–Cu–Gd ternary system L29
C. He, K. Zhang and L. Chen (Yunnan, China)

New ternary Laves phases L33
R. M. Waterstrat (Gaithersburg, MD, USA)

Regular Papers

Particularités morphologiques observées lors de l'oxidation du niobium. I: Evolution des morphologies en relation avec le domaine de températures. 1
C. Rousselet, D. Closmak and G. Bertrand (Dijon, France)

Luminescence and crystal structure of neodymium and europium squarate hydrates 13
E. Huskowska, T. Głowiak, J. Legendziewicz (Wrocław, Poland) and G. Oremek (Frankfurt, FRG)

Isothermal decomposition behaviour of $CeCo_{5+x}$ compounds. 27
C. H. Wu, Y. C. Chuang and X. M. Jin (Shenyang, China)

An investigation of the tellurium-rich uranium tellurides using X-ray powder diffraction 37
D. R. Boehme, M. C. Nichols (Livermore, CA, USA), R. L. Snyder and D. P. Matheis (Alfred, NY, USA)

Development of microstructure and preferred orientation of directionally solidified Pr–Fe–B permanent magnet alloy 61
Z. Chen, Z. Shi, L. Wang and H. Fu (Xi'an, China)

Isothermal compression study of 3d and 4d transition metal dihydrides I: Compression of ScH_2 up to 27 GPa. 69
L. M. Lityagina and T. I. Dyuzheva (Moscow, Russia)

Isothermal compression study of 3d and 4d transition metal dihydrides II: Compression of $ZrH_{1.99}$ up to 18 GPa 73
L. M. Lityagina and T. I. Dyuzheva (Moscow, Russia)

Elsevier Sequoia

Compound formation in the Ce_2O_3–SiO_2 system 77
H. A. M. van Hal and H. T. Hintzen (Eindhoven, Netherlands)

Effect of temperature upon hypersensitive transitions in lanthanides: experimental techniques and preliminary results for the $^4I_{9/2} \rightarrow {}^4G_{5/2}$ transition of $NdCl_6^{3-}$ in chloride melts between ambient and 650 °C 87
T. R. Griffiths (Colorado Springs, CO, USA) and N. J. Phillips (Leeds, UK)

On the Properties of $CeFe_2H_x$ hydrided at low temperatures 99
P. Raj, A. Suryanarayana, A. Sathyamoorthy, K. Shashikala, K. V. Gopalakrishnan and R. M. Iyer (Bombay, India)

Structural and magnetic studies of $B8_2$-type alloys represented by $Fe_3Ga_{2-x}Sb_x$ 111
N. A. Smith, P. J. Hill, E. Devlin, H. Forsyth, I. R. Harris (Birmingham, UK), B. Cockayne and W. R. MacEwan (Malvern, UK)

Microstructure of β-solution-treated, quenched and aged $\alpha+\beta$ titanium alloy Ti–6Al–1.6Zr–3.30Mo–0.30Si 125
A. K. Singh, C. Ramachandra, M. Tavafoghi and V. Singh (Varanasi, India)

The peculiarities of the emission spectra of gallium garnets 137
I. D. Shcherba, M. S. Ridosh, V. G. Sinyushko, V. F. Pershin (Lavov, USSR), L. Živković (Nish, Yugoslavia) and M. M. Ristić (Belgrade, Yugoslavia)

Isothermal sections of the Pd–Pt–Nb and Pd–Pt–Ta systems at 1000 °C 141
V. N. Kuznetsov, S. W. Neujmina, G. P. Zhmurko, K. B. Kalmykow and E. M. Sokolowskaya (Moscow, Russia)

Neutron diffraction and topographic investigation of the multiphase magnetic transition in MnRhAs 147
B. Chenevier, R. Fruchart (St. Martin d'Hères, France), M. Bacmann, J. Baruchel and D. Fruchart (Grenoble, France)

Thermal crystalline-to-amorphous transition of beryllium hydride 157
J. L. Maienschein, J. S. Bowers (Livermore, CA, USA), J. S. Cantrell and T. A. Beiter (Oxford, OH, USA)

High temperature interactions in the Fe–Al–C system at 6 GPa pressure 165
A. A. Putyatin, V. E. Davydov and S. N. Nesterenko (Moscow, Russia)

A thermodynamic calculation of the Ni–Nb phase diagram 177
Z. Kejun, Z. Xianzhang and J. Zhanpeng (Hunan, China)

Röntgenstrukturanalyse verzwillingter Einkristalle von $Ba_6IrNb_2O_{12}Cl_2$ 187
J. Wilkens and H. Müller-Buschbaum (Kiel, FRG)

The enthalpy increments of solid and liquid cadmium di-iodide 195
R. J. M. Konings, E. H. P. Cordfunke and R. R. van der Laan (Petten, Netherlands)

Preparation of neodymium-substituted LaB_6 single crystals by the floating zone method 201
S. Otani, S. Honma, T. Tanaka and Y. Ishizawa (Ibaraki, Japan)

Characterization of the oxides formed on Zr–2.5wt.% Nb during high temperature corrosion 207
Y. Ding and D. O. Northwood (Windsor, Ont., Canada)

Onset of magnetic correlations in the dilute spin fluctuation system $(La,U)Al_2$ 219
J. Dapprich, B. Andraka and G. R. Stewart (Gainesville, FL, USA)

Crystal structure and magnetic properties of ternary rare earth compounds of the type RMnGa 227
J. H. V. J. Brabers, F. R. de Boer and K. H. J. Buschow (Eindhoven, Netherlands)

Zur Synthese und Struktur von Rb_3PdH_3 und Rb_3PdH_5 235
W. Bronger and G. Auffermann (Aachen, FRG)

Electrodeposition of niobium from fluoroniobate K_2NbF_7 solutions in fused NaCl–KCl 241
A. Barhoun, Y. Berghoute and F. Lantelme (Paris, France)

Compressibility of dihydrides of transition metals 253
I. N. Goncharenko, V. P. Glazkov, A. V. Irodova, O. A. Lavrova and V. A. Somenkov (Moscow, Russia)

Coupled thermodynamic–phase diagram assessment of the rare earth oxide–aluminium oxide binary systems 259
P. Wu and A. D. Pelton (Montreal, Que., Canada)

A study of δ'-TiN_{1-x} formation in temperature gradient diffusion couples 289
W. Lengauer (Vienna, Austria)

Thermodynamic properties of scandium, lanthanum, neodymium and gadolinium silicides and germanides 299
G. M. Lukashenko, R. I. Polotskaya and V. R. Sidorko (Kiev, Ukraine)

Electric field gradients at ^{111}Cd in $M_2Cu_2O_5$ cuprates (M≡Sc, Y, In, Lu, Yb, Ho, Tb) 307
A. Bartos, M. Uhrmacher, L. Ziegeler and K. P. Lieb (Göttingen, FRG)

The phase transition in palladium–manganese alloys with up to 33.3 at.% Mn 321
K. Baba, Y. Niki, Y. Sakamoto (Nagasaki, Japan) and T. B. Flanagan (Burlington, VT, USA)

$(Li_{1-x}Ni_x)Li_4Sr_2N_3$: an "intergrowth-structure" of $(Li_{1-x}Ni_x)SrN$ and Li_4SrN_2 333
A. Gudat and R. Kniep (Stuttgart, FRG)

Magnetic properties of nickel hydride — a comparison of magnetic susceptibility with band structure calculations 339
M. Hanson (Gothenburg, Sweden) and H. J. Bauer (Munich, FRG)

Erratum 351

Author Index 353

Subject Index 355